

01. PREPARE

Remove rust, paint and surface contaminants.





Technical Data Sheet:

09.2021

Product Details:

Product Name:	Omega Auto Ace Wax & Grease Remover
Product Group:	Step 1 Prepare
Product Description:	Omega Wax & Grease is a fast acting, high quality cleaning solvent used for cleaning surfaces at various stages of repair and finish including filling, sealing, priming and top coating. Promotes surface adhesion and will remove heavy contamination such as wax, grease, oil, tar, and road grime

Directions For Use:	
Substrates: 	Metal (Testing on small areas is always recommended prior to application)
Surface Preparation: 	NA

Directions For Use:

Application:



Testing on small areas is always recommended prior to application to determine suitability as certain plastics and painted or lacquered surfaces can be damaged. Use a clean cloth and apply generously to the surface. Wipe small areas at a time, and then dry with a separate clean cloth. Do not allow Omega Wax & Grease Remover to dry on the surface. Repeat the procedure until all contaminants are removed. Avoid contact with the cleaned surface.

Aerosol Application:



Invert and shake the aerosol can thoroughly for 1 -2 minutes until the agitation ball can be heard. Continue to shake the aerosol can during application.

Additional Information

Clean Up:

Turn can upside down and spray until the nozzle clears

Storage:

Store upright in a cool, dry, well-ventilated area. Always replace the lid securely after use.

Disposal:

Dispose of in accordance with local, state, and federal regulations

Risk:

Highly Flammable. Harmful if swallowed, by inhalation and in contact with skin. Irritating to skin, eyes and respiratory tract.

Safety Directions:

Avoid contact with the skin and eyes and avoid breathing the vapour. Keep away from sources of ignition - no smoking. Use in a well-ventilated area. Do not empty into drains. **First Aid:** If poisoning occurs contact a doctor or Poisons Information Centre. Phone 131126. If swallowed do not induce vomiting. Give a glass of water. If inhaled remove to fresh air. If breathing difficulty persists or occurs later, consult a doctor. If in eyes, hold eyes open, and flush with water for at least 15 minutes. If skin contact occurs, remove contaminating clothing and wash skin thoroughly with soap and water.

Standard Packaging:

Product Code:	Product Size:	Product Colour:
AA-WGR1L	1LT	Clear
AA-WGR4L	4LT	Clear
AA-WGR400G	400G (Aerosol)	Clear

Disclaimer: In lieu of all warranties expressed or implied, the seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither the seller nor manufacturer shall be liable for any injury, loss, damage, direct or consequential, arising out of the use of or inability to use this product. Since the use and application of this product is beyond the control of the seller and the manufacturer, the purchaser and user assume all risk and liability whatsoever, in connection with this product therewith. Omega Paints Pty Ltd., 13-27 Melbourne Road Riverstone 2